

SAFETY DATA SHEET

WATERBASED GLOSS DUCT EMULSION 260 137/R

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME WATERBASED GLOSS DUCT EMULSION 260 137/R
 PRODUCT NO. 260 137/R
 APPLICATION Duct applied emulsion coating
 SUPPLIER STEHLIN HOSTAG INK UK LTD
 UNIT D4 LINKMEL CLOSE
 QUEENS DRIVE INDUSTRIAL ESTATE
 NOTTINGHAM
 NG2 1NA
 Tel : 0115 9860477
 Fax : 0115 9862681

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
Ammonia, aqueous solution		1331-21-6	<1%	C;R34. N;R50.
ETHANEDIOL	203-473-3	107-21-1	<25%	Xn;R22

The Full Text for all R-Phrases are Displayed in Section 16

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4 FIRST-AID MEASURES

GENERAL INFORMATION

In case of any irritation it is advisable to consult medical attention.

INHALATION

Prolonged contact can cause irritation Move the exposed person to fresh air at once.

INGESTION

Rinse mouth with water, give water to drink if conscious, transport to hospital

SKIN CONTACT

Direct contact can cause irritation Wash skin thoroughly with soap and water or use recognised skin cleanser

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

No special measures required

6 ACCIDENTAL RELEASE MEASURES

WATERBASED GLOSS DUCT EMULSION 260 137/R

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses.

SPILL CLEAN UP METHODS

Absorb with sawdust or inert material. Sweep or scrape up. Rinse affected area with water. Disposal should be carried out in accordance with the Special Waste Regulations.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Wash thoroughly after handling.

STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place. Store above freezing.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

General room ventilation is adequate

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. PVC or rubber gloves are recommended.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Opaque Liquid		
ODOUR	Mild Ammonial		
BOILING POINT (°C)	ca 95	RELATIVE DENSITY	1.04 @ 20c
pH-VALUE, CONC. SOLUTION	8.3 - 8.8	VISCOSITY	20-90 poise @ 15c
FLASH POINT (°C)	>100		

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

11 TOXICOLOGICAL INFORMATION

INHALATION

Not expected to be a health risk under normal use

INGESTION

No specific health warnings noted.

SKIN CONTACT

No specific health warnings noted.

EYE CONTACT

No specific health warnings noted.

WATERBASED GLOSS DUCT EMULSION 260 137/R

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Do not empty into drains.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

16 OTHER INFORMATION

REVISION COMMENTS

Re-issued due to changes in most sections

ISSUED BY

Paul R Hayden

REVISION DATE

23/02/05

SDS NO.

7/014

SAFETY DATA SHEET STATUS

Approved.

RISK PHRASES IN FULL

R22 Harmful if swallowed.
R34 Causes burns.
R50 Very toxic to aquatic organisms.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.